

1/10




FIG. 1

BEST AVAILABLE COPY

2/10




FIG. 2

3/10




FIG. 3

4/10




FIG. 4

5/10




FIG. 5


6/10

TWELVE WEEK STUDY - SNELLEN CHART RESULTS

Patient #	Before Treatment OD	After Treatment OD	Before Treatment OS	After Treatment OS
1				
2	20/100	20/80	20/200	20/100-1
3				
4			20/200	20/100-1
5	20/70+2	20/60+3	20/80	*20/50-1
6	20/40-2	20/25-2	20/400	20/200+1
7	20/200	20/200	20/50-1	20/30-1+3
8	20/100	20/80	20/70	20/50
9	20/200	20/80-1	20/200	20/100
10	20/50	20/30+2	20/200	20/60-1
11	20/100	20/50+2	20/30	20/25+2
12	20/400	20/400	20/70	20/40+2
13	20/1000	20/400	20/140	20/70
14	20/20-2	20/15	20/400	20/200
15	20/20	20/20-	20/20	20/15
16	20/50-1	20/50+1	20/40	20/30-
17	20/30	20/25	20/250	20/200
18	20/400	20/400	20/200	20/80
19	20/200	20/200		
20				
21			20/50	20/40
22	20/80	20/60	20/50	20/40+2
23				
24	20/50-2+2	20/50+2	20/40	20/40
25	20/50-1+3	20/50+2	20/25-	20/30+4
26	20/70	20/70	20/1000	20/300
27	20/50	20/200	20/70	20/70
28	20/200		20/200	20/200
29			20/320	20/125-2
30			20/200	20/100+1
31	20/70+2	20/70-2	20/200-1	20/100+1
32	20/400	20/80-1		
33				
34	20/60	20/60-2+2	20/25-2	20/20-3
35				
36			20/25-2	20/30+2
37	20/200	20/200+1	20/50	20/50-80
38				
39	20/25+2	20/25-2	20/400	20/400
40	20/200+	20/70-1	20/25+3	20/20-2
41	20/400	20/200	20/400	20/400-
42			20/80-	20/80+1
43	20/400	20/200-1	20/20-	20/20-
			20/400	20/400

ScyFIX[®]

FIG. 6




ScyFix

FIG. 7

BEST AVAILABLE COPY

8/10



ScyFIX

FIG. 8

BEST AVAILABLE COPY

9/10



*ScyFIX*

FIG. 9

BEST AVAILABLE COPY

10/10



BEST AVAILABLE COPY

ScyFIX

FIG. 10